

## ROLL UP CLASSIC / PROFESSIONAL / PROMOTION



	MALLI	Classic 700	Classic 850	Classic 1000	Classic 1150
Paneelin koko (mm)		700x2200	850x2400	1000x2400	1150x2400
Näkyvä kuvapinta (mm)		700x1950	850x2150	1000x2150	1150x2150
Paino (kg)		3,7	4,5	5,3	6,1

	MALLI	Classic 1450	Professional 850	Professional Double	Promotion
Paneelin koko (mm)		1450x2400	850x2400	850x2400	800x2200
Näkyvä kuvapinta (mm)		1450x2150	850x2150	850x2150	800x2000
Paino (kg)			4,5	7,0	2,4

Maximum panel thickness is 440µ. When using 2450 mm supporting rod or stiff material, the recommended thickness is 270 - 330 µ. When uncertain we recommend to make own tests with different materials. When using textile, vinyl or similar materials panel profile locking version should be used.

## 4 SCREEN



	MALLI	Classic 550	Classic 700	Classic 850	Classic 1000
Paneelin koko (mm)		550x1485	700x1950	850x2150	1000x2150
Näkyvä kuvapinta (mm)		550x1481	700x1946	850x2146	1000x2146
Paino (kg)		1,9	2,1	2,5	2,7

	MALLI	Classic 1150	Classic 1450
Paneelin koko (mm)		1150x2150	1450x2150
Näkyvä kuvapinta (mm)		1150x2146	1450x2146
Paino (kg)		4,1	4,7

When using textile, vinyl or similar materials panel profile locking version should be used, and the panel should be 10 mm taller.

## SOFT IMAGE



	MALLI	Standard 1x3	Standard 2x3	Standard 3x3	Standard 4x3
Etupuoli (mm)		780x2240	1510x2240	2240x2240	2970x2240
Etupuoli ja sivut (mm)		1420x2240	2150x2240	2880x2240	3610x2240
Paino (kg)		12,5	15	17,5	20

	MALLI	Standard 5x3	Counter
Etupuoli (mm)		3700x2240	1000x1000
Etupuoli ja sivut (mm)		4340x2240	1640x1000
Paino (kg)		22,5	8,7



The above measurements are the real sizes, as textile is elastic the measurements may vary.



## POLE SYSTEM



MALLI	Pole 550	Pole 700	Pole 850	Pole 1000
Paneelin koko (mm)	550x max 2400	700x max 2400	850x max 2400	1000x max 2400
Paino (kg)	2,8	2,9	3,0	3,1

Could also be used as double sided. Then complete the package with extra panel profiles.  
Can handle most materials up to 450µ thickness (paper, vinyl, pvc, textile)  
Total height of the system is minimum 1000mm and maximum 2560mm.

## POP UP MAGNETIC &amp; POP UP CLASSIC



MALLI	1x3 Curved	2x3 Curved	3x3 Curved	4x3 Curved
Paneelien määrä	3 kpl*	4 kpl*	5 kpl*	6 kpl*
Kokonaismitta (l/s) (mm)	1225/375	1915/510	2535/710	3065/970
Koko/paneeli (mm)	673x2224	673x2224	673x2224	673x2224
Paino** (kg)		12-14	18-23	20-25

MALLI	1x3 Straight	2x3 Straight	3x3 Straight	4x3 Straight
Paneelien määrä	3 kpl*	4 kpl*	5 kpl*	6 kpl*
Kokonaismitta (l/s) (mm)	1283/322	2016/322	2749/322	3482/322
Koko/paneeli (mm)	733x2224	733x2224	733x2224	733x2224
Paino** (kg)			25	32

\*= etu- ja sivupaneelit  
\*\* paino ilman kuvavuotia


Front and backside panels should have a maximum thickness of 350 - 550µ. Side panels can be slightly thinner 350 - 420µ, as they should be bent. These panels should not have a bottom strip. Curved backside panels have the following measurements: 808 x 2224 mm.

**Premium**  
**MALLI Transport Case III**

Paneelin koko pöytään	1480x920
-----------------------	----------



## POP UP MAGNETIC TOWER



MALLI	Tower 3	Tower 4
Paneelien määrä	3 kpl	3 kpl
Paneelin koko (mm)	673x2224	673x2957
Halkaisija (mm)	643	643
Paino (kg)	11,5	13,5

Tower panel thickness should be 350 - 420 µ, as they should be bent. These panels should not have a bottom strip.

## STAND UP



MALLI	8010 Universal	801I Info
Paneelien määrä	1 kpl	1 kpl
Paneelin koko etuosa (mm)	700x1000	700x1000
Paino (kg)	15	10
Paneelien määrä	4 kpl	2 kpl
Paneelin koko sivut (mm)	285x1000	285x1000

Tower panel thickness should be 350 – 420 μ, as they should be bent. These panels should not have a bottom strip.

## FOLD UP



MALLI	6-panel unit	6-panel unit
Paneelien määrä	6 kpl	8 kpl
Paneelin koko (mm)	700x1000	700x1000
Paino (kg)	14	17,8

Panel thickness should be 5 mm. The frames build 21 mm on each side, and 18 mm on the top and bottom.

MALLI	Headers
Paneelin koko (mm)	700x285
Näkyvä kuvapinta (mm)	690x275

## BROCHURE STAND &amp; 4 BROCHURE



MALLI	4500 B S w bag	4501 B S w hard case	4250 4 Brochure	4255 4 Brochure
Koko *	37	37	75	75
Paino (kg)	5,2	8,8	1,6	1,9

\* 4500 B S w bag & 4501 B S w hard case, specifications and measurements mm: 4 pc Fixed A4 holder w a depth of 37 mm

\* 4250 4 brochure and 4255 4 brochure, specifications and measurements mm: 4 pc A4 holder of fabric for maximum 75 sheets(100gr)/holder


## RULLASTÄNDI



MALLI	Rullaständi
Paneelin koko (mm)	850-2700 x 2000-2200
Paino* (kg)	5-15 kg

Kuvan voi tulostaa paperille, kankaalle tai vinyylille.  
\* Paino sis. kuvavuodan.


## ARENA



## MALLI

## Arena

Paneelien määrä	2 kpl
Paneelin koko (mm)	1820x1150
Näkyvä kuvapinta (mm)	1820x900
Paino (kg)	3,7



Maximum panel thickness is 440µ.

## FLAG SYSTEM




## MALLI

## Curved X-foot


## Rectangular X-foot

Paneelien määrä	1 kpl	1 kpl
Paneelin koko (mm)	1060x3700	1060x2270
Näkyvä kuvapinta (mm)	1000x3700	1000x2250
Paino (kg)	10,4 + tuki 3,9	10,4 + tuki 3,9

Add the fabric so much that it is enough to fold and sewing a 60 mm (2 3/8") wide pocket.



Add the fabric so much that it is enough to fold over and sew. A 60 mm (2 3/8") wide pocket for the vertical pole and a 20 mm (3/4") wide pocket for the top bar.



## ESITTELYTISKI - PREMIUM CASE &amp; COUNTER



## MALLI

## Esittelytiski

Paneelin koko (mm)	1820x920
Mitat suljettuna (lxxxs)	640x1000x415
Mitat auki (lxxxs)	1390x1010x590
Tilavuus (l)	196
Paino (kg)	22

